

RIMOR



Catalogue 2026-2027



RIMOR

World sweet home

Welcome. Wherever you are.

With Rimor, anywhere can feel like home. For nearly 50 years, we've been designing and building motorhomes and camper vans inspired by the most familiar feeling of all: the authentic comfort of the place you love the most. Designed and made entirely in Italy, our vehicles combine smart functionality, generous space, and everyday comfort, so you can feel at ease wherever your journey takes you.

Whether you prefer the sea or the mountains, city breaks or off-grid adventures, Rimor lets you rediscover the freedom of travel and the joy of always feeling in the right place.


Your compass.

A comprehensive guide to finding the Rimor that's right for you.

How can you find the vehicle that best matches your vision of outdoor living and turn it into reality? This guide is here to help. Explore the latest features and compare key specs at a glance—such as number of berths, belted seats, vehicle length, and engine options—to find the Rimor model that suits you best.

Horus

Fiat Ducato 2,2 L




Kilig

Ford Transit 2,0 L




Sarus

Fiat Ducato 2,2 L




Super Brig & Sailer

Ford Transit 2,0 L



Legend



HORUS



» 14

KILIG



» 20

SARUS



» 30

SUPER BRIG & SAILER



» 36



The experience that guides you.

Comfort and functionality, across every model.

Different ranges, different layouts, but the same core values: reliability, functionality and smart design. Backed by decades of expertise, every Rimor vehicle is built using proven construction techniques and carefully selected solutions to deliver maximum comfort, always with the touch of Italian craftsmanship.

STANDARD ENERGY TECHNOLOGY

- MEB-300 Smart Energy System
- Remote control from an app
- Optimized battery charging
- Solar panels installed
- Multi-source management: AC grid / Solar / Alternator
- Smart nodes with power up to 350W / 60A

NIGHT-TIME COMFORT AND PRIVACY

- Front and side driver's cabin blinds as standard
- Hypo-allergenic mattresses with removable covers
- LED interior lighting

KITCHEN AND DESIGN

- New compressor refrigerator
- New XL entry door on select models
- 2-3 burner hob with electric ignition
- Slow-close cabinet hinges
- Incorporated removable kitchen bin
- Ergonomic pull garage handles

DRIVING AND SAFETY

- Adjustable car headrests
- Standard ISOFIX compatibility*
- New, easily accessible battery compartments, designed to hold up to 2 small batteries or 1 large one .

*The complete ISOFIX kit can be ordered as an option with an extra weight.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>



MEB-300. The new Rimor era.

Smart motorhomes and vans with the MEB-300 Smart Energy System.

Rimor vehicles are now smarter than ever. Every model comes equipped with the MEB-300 Smart Energy System: an energy management, control, and charging system that sets a new standard in energy efficiency, safety and convenience at your fingertips.



Remote control

Effortlessly manage lighting and on-board functions right from your smartphone. Thanks to the integrated Bluetooth system and dedicated app, complete control is just a tap away.



Efficient charging

Optimized charging for auxiliary and main batteries, extending lifespan and reducing energy consumption. Features a 96% energy conversion efficiency rate.



Integration with Solar Panels

Powered by MPPT (Maximum Power Point Tracking) technology, the charger continuously adjusts to extract peak solar energy, ensuring high-efficiency performance even in fluctuating light conditions.



New smart nodes

Smart energy management: seamlessly monitor and control power from the grid, solar panels, and alternator.



Smart and powerful

Delivering 350W peak power and drawing up to 60A from the alternator, the MEB-300 ensures rapid and secure auxiliary battery charging.



Multi-Source Energy Management

Smart, seamless integration of power from the AC grid, solar array, and vehicle alternator.

Innovation powers your fun.

Standard features of the Fiat Ducato X250 chassis



STANDARD VAN

- Manual air conditioning
- Cruise control and speed limiter
- Driver and passenger airbags
- Power and heated mirrors
- 60-liter fuel tank
- Fix & Go kit
- Adjustable driver's seat
- Passenger seat with lumbar support and armrest
- Swivel seats + Captain Chairs
- Painted bumper + black underbody guard
- Headlights with black bezels
- Fog lights
- Traction Plus with Hill Descent Control
- AEBS
- TPMS
- Emergency Lane Keeping
- Driver Fatigue Detection
- Intelligent Speed Assist
- Traffic Sign Recognition
- Steering Wheel Radio Controls
- DAB Antenna in the Side Mirror
- USB Charging Ports (A+C)
- Rear parking sensors

STANDARD CAMPER

- Manual air conditioning
- Cruise control and speed limiter
- Driver and passenger airbags
- Power and heated mirrors
- 60-liter fuel tank
- M+S Camping (Snowflake) tires
- Fix & Go kit
- Adjustable driver's seat
- Passenger seat with lumbar support and armrest
- Swivel seats + Captain Chairs
- Painted bumper + black underbody guard
- Headlights with black bezels
- Fog lights
- Traction Plus with Hill Descent Control
- ESC
- AEBS
- TPMS
- Emergency lane keeping assist
- Driver Fatigue Detection
- Intelligent Speed Assist
- Traffic Sign Recognition
- Steering Wheel Radio Controls
- DAB Antenna in the Rearview Mirror
- USB Charging Ports (A+C)
- Rearview Camera with 9" Screen

Versatile. Solid. Reliable.

Standard features on the Ford Transit chassis



STANDARD CAMPER

- Collision Mitigation System #2
- Lane Keeping System
- Speed Limit Sign Recognition
- Front Parking Assist
- Rearview Camera Kit
- Front fog lights
- Storage compartment
- 4 radio speakers
- SYNC® 4
- Electric parking brake
- ESP, HLA, and FBS
- Intelligent Speed Assist
- Cruise control
- 6.5 x 16" steel wheels
- TPMS
- Stop/Start system
- Wrong-way warning
- Automatic climate control
- Lockable storage compartment*
- High Series headlights with static cornering light function*
- Front bumpers painted to match the body color*

*Standard only on Super Brig and Sailer models

Chassis standard equipment is current as of May 2026.

During the season, due to technical, regulatory or supply reasons not attributable to Luano Camp, equipment may be subject to changes, modifications or may no longer be available.

The information and images contained in this material are indicative only and do not constitute a contractual obligation.

Customers are advised to check the final specifications of the vehicle available at the time of purchase with their authorised dealer.





HORUS

Van time. Fun time!

You're on your way to fun.

Start your next adventure with Horus. Do it your way, because there's a Horus for every free spirit. Whether you prefer a compact, nimble layout or a spacious, versatile interior, you can choose the van that fits best your lifestyle from a lineup designed around you. Take the Horus 45, for example: with its modular, stacked rear double beds, it comfortably offers up to four berths in the sleeping area.

Seamlessly manage the lights directly from your smartphone and recharge the auxiliary batteries efficiently with the new MEB-300 smart system. Enjoy home-like comfort in every configuration, whether you choose double or twin beds. Plus, let the latest upgrades surprise you: from the front and side driver's cabin blinds to the large 700x500 mm panoramic window, standard across the entire lineup.



Horus

Engine
Fiat Ducato

Displacement
2,2 L



from 5413
to 6363 mm



4



from 3
to 5

Compact. Complete. Incredible.

COMFORT

Travel however you wish, sleep just like at home. Whether you prefer double or twin beds, enjoy hypoallergenic mattresses with removable, washable covers for ultimate freshness. Inside the cab, front and side driver's cabin blinds ensure total privacy. Plus the redesigned tables give you even more living space to share with whoever you choose.

TECHNOLOGY

Drive with total peace of mind thanks to Cruise Control, Traction Plus and Hill Start Assist, paired with the MEB-300 Smart Energy System for intelligent power management. In addition, rear parking sensors are included to help you maneuver with even greater safety and ease.

DESIGN

A refreshed interior design featuring contemporary accents, elegant curved elements and a brand-new kitchen countertop. The innovative suspended table structure maximizes legroom and is cleverly designed for outdoor use as well.

CONFIGURATIONS

Compact or spacious, Horus is built around your way of living on the road. With options for modular, twin or bunk beds, your comfort is guaranteed. If you need more space, Horus 54 and 38 transform the sleeping area into a large storage area. If you're traveling with a bigger crew, Horus 45 expands to accommodate up to 5 berths.

SLEEPING AREA

- Double bed (Horus 38 / Horus 54)
- Double superimposed bunk beds (Horus 45)
- Twin beds (Horus 95)





Technical data

HORUS

Engine Fiat Ducato


Displacement 2,2 L

Maximum power 88-120 kW-HP
standard chassis

HORUS 38 

HORUS 45 

HORUS 54 



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)	4035		3450
Outside length (mm)	5998		5413
Outside width - inside width (mm)	2050 - 1850		
Maximum outside height - inside height (mm)	2659 - 1875		
Certified seats	4		
Maximum overall weight (kg)	3500		
MRO (kg)	2770	2866	2714
Available mass for optional equipment installation (kg)	405,02	309,02	466,87
BEDS			
Fixed berths	2	4	2
Assemblable berths	1		
Assemblable single bed centre dinette	1150x1820		900x1820
Rear single bed	NO		
Rear double bed	1350x1920	n. 2 1350x1850 (n.4 total berths)	1320x1920
TANKS			
Water tank capacity while driving/stationary	20/85 l.		20/79 l.
Waste water tank	90 l.		
Gas bottle locker	1x10 kg		
EQUIPMENT			
Gas heater	Combi C4		
Water heater	Combi C4		
Fridge	90 l. (150 l. on request)		70 l.
Nr. burners hob	2		
Cabin swivel seats	✓		
Panoramic porthole living area	✓		
Driver's cabin blackout blind	✓		
Four	on request (no fridge 150 l.)		NO
Awning	3,75 m (on request)		3,25 m (on request)

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

Technical data


HORUS 95 

HORUS

Engine Fiat Ducato

Displacement 2,2 L

Maximum power 103-140 kW-HP
standard chassis



DIMENSIONS AND WEIGHTS	
Wheelbase (mm)	4035XL
Outside length (mm)	6363
Outside width - inside width (mm)	2050 - 1850
Maximum outside height - inside height (mm)	2659 - 1875
Certified seats	4
Maximum overall weight (kg)	3500
MRO (kg)	2905
Available mass for optional equipment installation (kg)	266,37
BEDS	
Fixed berths	2
Assemblable berths	1
Assemblable single bed centre dinette	1100x1820
Rear single bed	800x1900 - 800x1900
Rear double bed	with extension: 1300x1920
TANKS	
Water tank capacity while driving/stationary	20/85 l.
Waste water tank	90 l.
Gas bottle locker	1x10 kg
EQUIPMENT	
Gas heater	Combi C4
Water heater	Combi C4
Fridge	90 l. (150 l. on request)
Nr. burners hob	2
Cabin swivel seats	✓
Panoramic porthole living area	✓
Driver's cabin blackout blind	✓
Four	on request (no fridge 150 l.)
Awning	3,75 m (on request)

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

KILIG

The thrill of discovery.

Motorhome life has never made your heart race quite like this.

Outdoor living becomes a true thrill with Kilig. Stay inspired by its smart onboard solutions, even behind the wheel: SYNC® 4 with a 12" touchscreen, rearview camera, smartphone integration and voice control.

Get ready to fall in love with its design: modern, elegant, and refined interiors, plus a large XL-sized entry door on select models. Nighttime wellness is also guaranteed, featuring premium slatted bases on rear beds (standard on select models) and hypoallergenic mattresses with removable, washable covers. Inside, every single detail is engineered for your ultimate comfort: a high-efficiency compressor refrigerator, a 3-burner hob with electric ignition, soft-close drawers and LED ambient lighting with integrated guide lights.



Kilig

Engine
Ford Transit

Displacement
2,0



↔ from 6970
to 7308 mm



from 5
to 7



from 4
to 6+1



↔ from 6449
to 7338 mm



from 4
to 7



from 2
to 7

The simple pleasure of travelling in style.

COMFORT

Rediscover the pleasure of home-like comfort: hypoallergenic mattresses with removable and washable covers, slatted bed bases (standard on selected layouts), standard front and side driver's cab blinds and a latest-generation drop-down bed. Every corner is thoughtfully crafted to ensure your absolute peace of mind.

TECHNOLOGY

SYNC® 4 with a 12" touchscreen, connected navigation, voice control, and a rearview camera integrated into the thermoformed third brake light. Paired with the exclusive MEB-300 Smart Energy System and the modular battery compartment you're always in complete control of your power.

CONFIGURATIONS

There's a Kilig for every travel style. Discover the new 55 Plus, 56 Plus, 73 Plus, and 99 Plus layouts, alongside an extensive lineup engineered to match your idea of freedom.

SLEEPING AREA

- Transverse bed (Kilig 5 / Kilig 55 Plus / Kilig 78 Plus)
- Bunk beds (Kilig 9 / Kilig 73 Plus / Kilig 79 Plus)
- Double bunk beds (Kilig 50)
- Twin beds (Kilig 695 / Kilig 95 Plus / Kilig 99 Plus)
- Central bed (Kilig 669 / Kilig 66 Plus / Kilig 69 Plus)
- XL Front drop-down bed (Kilig 56 Plus/ Kilig 67 Plus)
- Double drop-down beds (Kilig 77 Plus)






Technical data

KILIG

Engine Ford Transit

Displacement 2,0 L

Maximum power 96-130 kW-HP
standard chassis



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)	3750		3954
Outside length (mm)	6970		7285
Outside width - inside width (mm)	2340 - 2200		
Maximum outside height - inside height (mm)	3040 - 2060		
Thickness of floor - walls - roof (mm)	56 - 30 - 30		
Certified seats ¹	6 / 5	7 / 6	6 / 5
Maximum overall weight (kg) ²	3500 / 3550 / 4100		
MRO (kg)	2961	2869	2989
Available mass for optional equipment installation (kg)	34	41	3
BEDS			
Fixed berths	4		6
Assemblable berths on request	2	2+1	NO
Overcab double bed	1400x2200		
Assemblable single bed centre dinette on request	NO	680x1600	NO
Assemblable double bed centre dinette on request	1290x1890		NO
Rear single bed	NO		
Rear double bed	1300x2200	NO	
Bunk bed	NO	800x2200 (n.2 total berths)	n.2 780x2000 (n.4 total berths)
TANKS			
Water tank capacity while driving/stationary	20/85 l.		
Waste water tank	70 l.		
Gas bottle locker	1x10 kg		
EQUIPMENT			
Gas heater	Combi C4		
Water heater	Combi C4		
Fridge	150 l.		
Nr. burners hob	3		
Garage (access door dimensions) H (mm) x W (mm)	1280x850 (1080x850 on request)	1150x650	n.1 950x1350 n.1 950x1150
Radio	✓		
Cabin swivel seats	✓		
Driver's cabin blackout blind	✓		
XL entrance door	✓	NO	✓
Awning	4 m (on request)		4,5 m (on request)

¹The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

²Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

Technical data

KILIG


Engine Ford Transit

Displacement 2,0 L

Maximum power 96-130 kW-HP
standard chassis

KILIG 669 

KILIG 695 



DIMENSIONS AND WEIGHTS		
Wheelbase (mm)	3954	
Outside length (mm)	7308	
Outside width - inside width (mm)	2340 - 2200	
Maximum outside height - inside height (mm)	3040 - 2060	
Thickness of floor - walls - roof (mm)	56 - 30 - 30	
Certified seats ¹	5	5 / 4
Maximum overall weight (kg) ²	3500 / 3550 / 4100	
MRO (kg)	3024	
Available mass for optional equipment installation (kg)	53	
BEDS		
Fixed berths	4	
Assemblable berths on request	1	
Overcab double bed	1400x2200	
Assemblable single bed centre dinette on request	1040x2200	
Assemblable double bed centre dinette on request	NO	
Rear single bed	NO	n.1 800x2100 - n.1 800x1980
Rear double bed	1400x1900	with extension: 1900x2200
Bunk bed	NO	
TANKS		
Water tank capacity while driving/stationary	20/85 l.	
Waste water tank	70 l.	
Gas bottle locker	1x10 kg	
EQUIPMENT		
Gas heater	Combi C4	
Water heater	Combi C4	
Fridge	150 l.	
Nr. burners hob	3	
Garage (access door dimensions) H (mm) x W (mm)	750x850 (1150x850 on request)	1050x850
Radio	✓	
Cabin swivel seats	✓	
Driver's cabin blackout blind	✓	
XL entrance door	✓	
Awning	4,5 m (on request)	

¹The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

²Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

Technical data


KILIG

Engine Ford Transit


Displacement 2,0 L

Maximum power 96-130 kW-HP
standard chassis


KILIG 55 PLUS



KILIG 56 PLUS



KILIG 66 PLUS



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)		3954	
Outside length (mm)	7338	6958	7338
Outside width - inside width (mm)		2340 - 2200	
Maximum outside height - inside height (mm)		2845 - 2060	
Thickness of floor - walls - roof (mm)		56 - 30 - 30	
Certified seats		4	
Maximum overall weight (kg) ²		3500 / 3550 / 4100	
MRO (kg)	3051	3023	3017
Available mass for optional equipment installation (kg)	110,62	138,62	144,62
BEDS			
Fixed berths	4	2	4
Assemblable berths on request	NO	2	NO
Assemblable single bed centre dinette on request		NO	
Assemblable double bed centre dinette on request	NO	1400x2200	NO
Front drop-down bed	1215x2000	1370x2000	1215x2000
Drop-down bed maximum static load capacity (kg)		250	
Rear single bed		NO	
Rear double bed	1355x2200	NO	1400x1900
Bunk bed		NO	
TANKS			
Water tank capacity while driving/stationary		20/80 l.	
Waste water tank		70 l.	
Gas bottle locker		1x10 kg	
EQUIPMENT			
Gas heater		Combi C4	
Water heater		Combi C4	
Fridge		150 l.	
Nr. burners hob		3	
Garage (access door dimensions) H (mm) x W (mm)	1150x850	1050x650	750x850 (1150x850 on request)
Radio		✓	
Cabin swivel seats		✓	
Driver's cabin blackout blind		✓	
XL entrance door	NO	✓	NO
Awning		4 m (on request)	

²Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

Technical data


KILIG

Engine Ford Transit


Displacement 2,0 L

Maximum power 96-130 kW-HP
standard chassis


KILIG 67 PLUS



KILIG 69 PLUS



KILIG 73 PLUS



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)	3750		3954
Outside length (mm)	6449		7308
Outside width - inside width (mm)		2340 - 2200	
Maximum outside height - inside height (mm)		2845 - 2060	
Thickness of floor - walls - roof (mm)		56 - 30 - 30	
Certified seats ¹	4	5 / 4	5
Maximum overall weight (kg) ²		3500 / 3550 / 4100	
MRO (kg)	2990	2998	3017
Available mass for optional equipment installation (kg)	180,51	78,92	59,92
BEDS			
Fixed berths	2	4	5
Assemblable berths on request	2	1	NO
Assemblable single bed centre dinette on request	NO	1040x2200	NO
Assemblable double bed centre dinette on request	1400x2200	NO	
Front drop-down bed	1370x2000	1215x2000	
Drop-down bed maximum static load capacity (kg)		250	
Rear single bed		NO	590x2200
Rear double bed	NO	1400x1900	NO
Bunk bed		NO	800x2200 (n. 2 total berths)
TANKS			
Water tank capacity while driving/stationary	20/80 l.		20/85 l.
Waste water tank		70 l.	
Gas bottle locker		1x10 kg	
EQUIPMENT			
Gas heater		Combi C4	
Water heater		Combi C4	
Fridge		150 l.	
Nr. burners hob	3		2
Garage (access door dimensions) H (mm) x W (mm)	1050x630	750x850 (1150x850 on request)	1150x650
Radio		✓	
Cabin swivel seats		✓	
Driver's cabin blackout blind		✓	
XL entrance door	NO		✓
Awning	3 m (on request)		4 m (on request)

¹The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

²Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

Technical data


KILIG

Engine Ford Transit


Displacement 2,0 L

Maximum power 96-130 kW-HP
standard chassis


KILIG 77 PLUS



KILIG 78 PLUS



KILIG 79 PLUS



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)		3750	
Outside length (mm)	6970	6758	6970
Outside width - inside width (mm)		2340 - 2200	
Maximum outside height - inside height (mm)		2845 - 2060	
Thickness of floor - walls - roof (mm)		56 - 30 - 30	
Certified seats ¹	5	5 / 4	7 / 6
Maximum overall weight (kg) ²		3500 / 3550 / 4100	
MRO (kg)	3005	2877	2803
Available mass for optional equipment installation (kg)	75,3	205,42	107,3
BEDS			
Fixed berths		4	
Assemblable berths on request	3	1	2+1
Assemblable single bed centre dinette on request	1040x2200	1200x2200	680x1600
Assemblable double bed centre dinette on request		NO	1290x1890
Assemblable double bed rear dinette on request	1400x2200		NO
Front drop-down bed		1215x2000	
Rear drop-down bed	1215x2000		NO
Drop-down bed maximum static load capacity (kg)		250	
Rear single bed		NO	
Rear double bed	NO	1450x2200	NO
Bunk bed		NO	800x2200 (n. 2 total berths)
TANKS			
Water tank capacity while driving/stationary		20/85 l.	
Waste water tank		70 l.	
Gas bottle locker		1x10 kg	
EQUIPMENT			
Gas heater		Combi C4	
Water heater		Combi C4	
Fridge		150 l.	
Nr. burners hob		3	
Garage (access door dimensions) H (mm) x W (mm)	550x700	1050x700	1150x650
Radio		✓	
Cabin swivel seats		✓	
Driver's cabin blackout blind		✓	
XL entrance door		✓	NO
Awning	3,5 m (on request)		4 m (on request)

¹The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

²Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

Technical data

KILIG


Engine Ford Transit

Displacement 2,0 L

Maximum power 96-130 kW-HP
standard chassis

KILIG 95 PLUS

KILIG 99 PLUS



DIMENSIONS AND WEIGHTS		
Wheelbase (mm)	3954	
Outside length (mm)	7308	
Outside width - inside width (mm)	2340 - 2200	
Maximum outside height - inside height (mm)	2845 - 2060	
Thickness of floor - walls - roof (mm)	56 - 30 - 30	
Certified seats ¹	5 / 4	4
Maximum overall weight (kg) ²	3500 / 3550 / 4100	
MRO (kg)	2998	2999
Available mass for optional equipment installation (kg)	78,92	162,62
BEDS		
Fixed berths	4	
Assemblable berths on request	1	NO
Assemblable single bed centre dinette on request	1040x2200	NO
Assemblable double bed centre dinette on request	NO	
Assemblable double bed rear dinette on request	NO	
Front drop-down bed	1215x2000	
Rear drop-down bed	NO	
Drop-down bed maximum static load capacity (kg)	250	
Rear single bed	n.1 800x2100 - n.1 800x1980	n.1 800x2040 - n.1 800x1960
Rear double bed	with extension: 1900x2200	
Bunk bed	NO	
TANKS		
Water tank capacity while driving/stationary	20/85 l.	20/80 l.
Waste water tank	70 l.	
Gas bottle locker	1x10 kg	
EQUIPMENT		
Gas heater	Combi C4	
Water heater	Combi C4	
Fridge	150 l.	
Nr. burners hob	3	
Garage (access door dimensions) H (mm) x W (mm)	1050x850	
Radio	✓	
Cabin swivel seats	✓	
Driver's cabin blackout blind	✓	
XL entrance door	✓	NO
Awning	4 m (on request)	

¹The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

²Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

SARUS

Let your desire for adventure soar.

**Modern, versatile, and accessible.
With 6 fantastic models ready for
you to explore.**

Spread your wings of freedom and experience open-air living anywhere with Sarus. Whether you're a novice or an experienced outdoor enthusiast, find the perfect fit for you among 4 low-profile layouts and 2 overcab models. Drive carefree, enjoying premium Captain Chair seats, cruise control, and Traction Plus system with hill-start assist.

Sarus's simple, elegant interior is built to last: the XL-sized entry door is a new feature on select layouts, the kitchen has an ultra-durable worktops/countertops, and the drawers feature soft-close mechanisms to make you feel right at home. Just like the removable mattress covers and the standard front and side driver's cab blinds for the best night's sleep. More features to love: the standard MEB-300 Smart Energy System, soft-close cabinet doors, safer and more resistant garage pull handles, removable kitchen bin, and LED guide light.



Sarus

Engine
Fiat Ducato

Displacement
2,2 L



↔ from 6987
to 7293 mm



from 5
to 6



from 5
to 6



↔ from 6973
to 7443 mm



from 4
to 5



from 4
to 5

Its spirit will take you places.

COMFORT

Sleep just like at home with removable mattress covers, front and side driver's cabin blinds, and the drop-down bed. Plus a practical and a durable kitchen, 2-burner hob, a square sink, and a compressor refrigerator.

TECHNOLOGY

Cruise control, Traction Plus, hill-start assist, a new third step with an integrated rearview camera and a standard multimedia system: all designed to let you drive prioritizing your comfort and safety. With Sarus, even energy management is effortless, thanks to the integrated MEB-300 Smart Energy System.

DESIGN

Sophisticated furniture design featuring original decorative elements, curved side panels, new table tops, and LED lighting above wall cabinets. The modern LED lighting complete a contemporary and functional style.


CONFIGURATIONS

6 models, including 4 low-profile and 2 overcab models. From the Sarus 50 with bunk beds to the Sarus 96 Plus with twin beds: find your ideal space.

SLEEPING AREA

- Double bunk beds (Sarus 50)
- Twin beds (Sarus 695 / Sarus 95 Plus / Sarus 96 Plus)
- Central bed (Sarus 66 Plus / Sarus 69 Plus)





Technical data


SARUS

Engine Fiat Ducato


Displacement 2,2 L

Maximum power 88-120 kW-HP
standard chassis


SARUS 50 



SARUS 695 



SARUS 66 PLUS 



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)		4035	
Outside length (mm)	6987	7293	7443
Outside width - inside width (mm)		2340 - 2200	
Maximum outside height - inside height (mm)		3050 - 2075	2940 - 2075
Thickness of floor - walls - roof (mm)		56 - 30 - 30	
Certified seats ¹	6	5 / 4	4
Maximum overall weight (kg) ²		3500 / 3650	
MRO (kg)	2938	3057	3125
Available mass for optional equipment installation (kg)	57,13	20,07	35,57
BEDS			
Fixed berths	6		4
Assemblable berths on request	NO	1	NO
Overcab double bed		1400x2200	NO
Assemblable single bed centre dinette on request	NO	1100x2200	NO
Front drop-down bed		NO	1220x2000
Drop-down bed maximum static load capacity (kg)		NO	250
Rear single bed	NO	n.1 800x1975 - n.1 750x2040	NO
Rear double bed	NO	with extension: 1900x2200	1400x1900
Bunk bed	n.2 710x1900 (n.4 total berths)	NO	NO
TANKS			
Water tank capacity while driving/stationary		20/85 l.	
Waste water tank		100 l.	
Gas bottle locker		1x10 kg	
EQUIPMENT			
Gas heater		Combi C4	
Water heater		Combi C4	
Fridge	150 l.	89 l. (150 l. on request)	150 l.
Nr. burners hob		2	
Garage (access door dimensions) H (mm) x W (mm)	n.2 950x1150	1050x750 (850x750 on request)	750x770 (1200x770 on request)
Radio		✓	
Cabin swivel seats		✓	
Driver's cabin blackout blind		✓	
XL entrance door		✓	NO
Awning	4 m (on request)	4,5 m (on request)	4 m (on request)

¹The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

² Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

Technical data


SARUS

Engine Fiat Ducato


Displacement 2,2 L

Maximum power 88-120 kW-HP
standard chassis


SARUS 69 PLUS



SARUS 95 PLUS



SARUS 96 PLUS



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)	4035		3800
Outside length (mm)	7158	7293	6973
Outside width - inside width (mm)	2340 - 2200		
Maximum outside height - inside height (mm)	2940 - 2075		
Thickness of floor - walls - roof (mm)	56 - 30 - 30		
Certified seats ¹	5 / 4		
Maximum overall weight (kg) ²	3500 / 3650		
MRO (kg)	2942	3056	2922
Available mass for optional equipment installation (kg)	136,42	21,07	158,27
BEDS			
Fixed berths	4		
Assemblable berths on request	1		
Overcab double bed	NO		
Assemblable single bed centre dinette on request	1100x2200		1050x2200
Front drop-down bed	1220x2000		
Drop-down bed maximum static load capacity (kg)	250		
Rear single bed	NO	n.1 800x1975 - n.1 750x2040	n.1 750x1947 - n.1 750x1822
Rear double bed	1400x1900	with extension: 1900x2200	with extension: 1500x2200
Bunk bed	NO		
TANKS			
Water tank capacity while driving/stationary	20/85 l.		
Waste water tank	100 l.		
Gas bottle locker	1x10 kg		
EQUIPMENT			
Gas heater	Combi C4		
Water heater	Combi C4		
Fridge	150 l.	89 l. (150 l. on request)	150 l.
Nr. burners hob	2		
Garage (access door dimensions) H (mm) x W (mm)	750x750 (1200x750 on request)	1050x750 (850x750 on request)	1050x850
Radio	✓		
Cabin swivel seats	✓		
Driver's cabin blackout blind	✓		
XL entrance door	✓		NO
Awning	4 m (on request)		3,5 m (on request)

¹The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

² Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

SUPER BRIG & SAILER

Travel with the wind in your sails.

Luxury and a nautical feeling in both low profile and overcab versions.

Hit the road in style, just like on a classy boat. Super Brig and Sailer, available in overcab and low profile configurations respectively, impress with an exclusive and contemporary interior design. Plenty of technology on board, starting with the exclusive MEB-300 Smart Energy System with smartphone remote control and the compressor refrigerator, as well as a stronger, lighter body, the new XL-sized entry door on select models, battery compartments designed to hold up to two batteries or one large-format unit, the Vetroskin interior roof, and electrically controlled drop-down beds.

Don't compromise and choose among the many available configurations. The Suite model invites you to enjoy every moment, with its double dinette and a spacious kitchen featuring a combi-oven with grill and hob. Meanwhile, the Sailer 56 Plus greets you with the ultimate comfort, featuring a standard inverter and coffee machine. So many models, all waiting to be discovered, so you can always travel in style.



Super Brig



Engine
Ford Transit

↔ from 6968
to 7308 mm

Displacement
2,0L

↗ from 4
to 5

↗ from 4
to 6

Sailer



↔ from 6958
to 7338 mm

↗ from 4
to 5

↗ from 2
to 5

Travel in style.

COMFORT

Flagship-level onboard comfort: beds with slatted bases, a spacious drop-down bed, hypoallergenic mattresses with removable covers and standard front and side driver's cabin blinds. Even the bathroom offers more with a solid shower door.

TECHNOLOGY

The exclusive MEB-300 system intelligently manages power and battery performance, all at your fingertips via smartphone. Rear bumper with integrated rear-view camera for maximum safety, even on the road.

DESIGN

A style inspired by the nautical world, featuring contemporary interiors with designer laminates, Vetroskin ceilings and exclusive finishes.

CONFIGURATIONS

Super Brig 677 TC with 4 berths. Super Brig Suite, Super Brig 687 TC and Sailer 87 Plus with a kitchen equipped with an oven and grill. Sailer 55 Plus with a face-to-face dinette. Sailer 56 Plus features a real living space with a rear L-shaped kitchen, inverter and coffee machine included.

SLEEPING AREA

- Transverse bed (Super Brig 687 TC / Super Brig 677 TC / Sailer 55 Plus / Sailer 87 Plus)
- Twin beds (Super Brig 695 TC / Sailer 95 Plus)
- Rear suite bed (Super Brig Suite)
- XL front drop-down bed (Sailer 56 Plus)
- Central bed (Sailer 69 Plus)





Technical data

SUPER BRIG

Engine Ford Transit


Displacement 2,0 L

Maximum power 96-130 kW-HP
standard chassis

SUPER BRIG 677 TC

SUPER BRIG 687 TC

SUPER BRIG 695 TC



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)	3750		3954
Outside length (mm)	6970	6968	7308
Outside width - inside width (mm)	2340 - 2200		
Maximum outside height - inside height (mm)	3080 - 2060		
Thickness of floor - walls - roof (mm)	56 - 30 - 30		
Certified seats ¹	5 / 4 / 6	4 / 5	
Maximum overall weight (kg) ²	3500 / 3550 / 4100		
MRO (kg)	2994	3018	3085
Available mass for optional equipment installation (kg)	86,3	148,31	76,92
BEDS			
Fixed berths	4		
Assemblable berths on request	2	1	
Overcab double bed	1400x2200		
Assemblable single bed centre dinette on request	NO	1040x2200	
Assemblable double bed centre dinette on request	1290x1890	NO	
Assemblable double bed rear dinette	NO		
Rear single bed	NO		n.1 800x2107 - n. 1 800x1988
Rear double bed	1300x2200		with extension: 1400x2200
TANKS			
Water tank capacity while driving/stationary	20/85 l.		
Waste water tank	70l.		
Antifreeze tank	✓		
Gas bottle locker	1x10 kg		
EQUIPMENT			
Gas heater	Combi C6		
Water heater	Combi C6		
Fridge	150 l.	158 l.	150 l.
Nr. burners hob	3		
Garage (access door dimensions) H (mm) x W (mm)	1280x850 (1080x850 on request)		1050x850
Radio	✓		
Cabin swivel seats	✓		
Driver's cabin blackout blind	✓		
XL entrance door	✓		
Openable panoramic porthole front pod	✓		
Extractor hood	✓		
Oven	on request	✓	on request
Entrance door with fly screen	✓		
TV-holder	✓		
Cabin seat covers	✓		
Parking feet	✓		
Outside entrance door lamp	✓		
Awning	4 m (on request)		4,5 m (on request)

¹The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

² Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

Technical data


SUPER BRIG SUITE

SUPER BRIG

Engine Ford Transit

Displacement 2,0 L

Maximum power 96-130 kW-HP
standard chassis



DIMENSIONS AND WEIGHTS	
Wheelbase (mm)	3750
Outside length (mm)	6970
Outside width - inside width (mm)	2340 - 2200
Maximum outside height - inside height (mm)	3080 - 2060
Thickness of floor - walls - roof (mm)	56 - 30 - 30
Certified seats ¹	4 / 5
Maximum overall weight (kg) ²	3500 / 3550 / 4100
MRO (kg)	3005
Available mass for optional equipment installation (kg)	160,3
BEDS	
Fixed berths	2
Assemblable standard berths	2
Assemblable berths on request	1
Overcab double bed	1400x2200
Assemblable single bed centre dinette on request	1040x2200
Assemblable double bed centre dinette	NO
Assemblable double bed rear dinette	1400x2200
Rear single bed	NO
Rear double bed	NO
TANKS	
Water tank capacity while driving/stationary	20/85 l.
Waste water tank	70 l.
Antifreeze tank	✓
Gas bottle locker	1x10 kg
EQUIPMENT	
Gas heater	Combi C6
Water heater	Combi C6
Fridge	150 l.
Nr. burners hob	3
Garage (access door dimensions) H (mm) x W (mm)	550x700
Radio	✓
Cabin swivel seats	✓
Driver's cabin blackout blind	✓
XL entrance door	✓
Openable panoramic porthole front pod	✓
Extractor hood	✓
Oven	✓
Entrance door with fly screen	✓
TV-holder	✓
Cabin seat covers	✓
Parking feet	✓
Outside entrance door lamp	✓
Awning	4 m (on request)

¹ The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

² Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

Technical data


SAILER

Engine Ford Transit


Displacement 2,0 L

Maximum power 96-130 kW-HP
standard chassis


SAILER 55 PLUS 



SAILER 56 PLUS 



SAILER 69 PLUS 



DIMENSIONS AND WEIGHTS			
Wheelbase (mm)		3954	
Outside length (mm)	7338	6958	7308
Outside width - inside width (mm)		2340 - 2200	
Maximum outside height - inside height (mm)		2845 - 2060	
Thickness of floor - walls - roof (mm)		56 - 30 - 30	
Certified seats ¹		4	4 / 5
Maximum overall weight (kg) ²		3500 / 3550 / 4100	
MRO (kg)	3051	3023	2984
Available mass for optional equipment installation (kg)	114	142	178
BEDS			
Fixed berths	4	2	4
Assemblable berths on request	NO	2	1
Assemblable single bed centre dinette on request		NO	1040x2200
Assemblable double bed centre dinette on request	NO	1400x2200	NO
Front drop-down bed	1215x2000	1370x2000	1215x2000
Drop-down bed maximum static load capacity (kg)		250	
Rear single bed		NO	
Rear double bed	1355x2200	NO	1400x1900
TANKS			
Water tank capacity while driving/stationary		20/80 l.	20/85 l.
Waste water tank		70 l.	
Antifreeze tank		✓	
Gas bottle locker		1x10 kg	
EQUIPMENT			
Gas heater		Combi C6	
Water heater		Combi C6	
Fridge	150 l.	158 l.	150 l.
Nr. burners hob		3	
Garage (access door dimensions) H (mm) x W (mm)	1150x850	1050x650	750x850 (1150x850 on request)
Radio		✓	
Cabin swivel seats		✓	
Driver's cabin blackout blind		✓	
XL entrance door	NO		✓
Openable panoramic porthole front pod		✓	
Extractor hood		✓	
Oven		on request	
Entrance door with fly screen		✓	
TV-holder		✓	
Cabin seat covers		✓	
Parking feet		✓	
Outside entrance door lamp		✓	
Awning		4 m (on request)	

¹ The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

² Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>

Technical data

SAILER


Engine Ford Transit

Displacement 2,0 L

Maximum power 96-130 kW-HP
standard chassis

SAILER 87 PLUS

SAILER 95 PLUS



DIMENSIONS AND WEIGHTS		
Wheelbase (mm)	3750	3954
Outside length (mm)	6968	7308
Outside width - inside width (mm)	2340 - 2200	
Maximum outside height - inside height (mm)	2845 - 2060	
Thickness of floor - walls - roof (mm)	56 - 30 - 30	
Certified seats ¹	4 / 5	
Maximum overall weight (kg) ²	3500 / 3550 / 4100	
MRO (kg)	3018	3046
Available mass for optional equipment installation (kg)	148	116
BEDS		
Fixed berths	4	
Assemblable berths on request	1	
Assemblable single bed centre dinette on request	1040x2200	
Assemblable double bed centre dinette	NO	
Front drop-down bed	1215x2000	
Drop-down bed maximum static load capacity (kg)	250	
Rear single bed	NO	n.1 800x2107 - n.1 800x1988
Rear double bed	1300x2200	with extension: 1400x2200
TANKS		
Water tank capacity while driving/stationary	20/85 l.	
Waste water tank	70 l.	
Antifreeze tank	✓	
Gas bottle locker	1x10 kg	
EQUIPMENT		
Gas heater	Combi C6	
Water heater	Combi C6	
Fridge	158 l.	150 l.
Nr. burners hob	3	
Garage (access door dimensions) H (mm) x W (mm)	1280x850 (1080x850 on request)	1050x850
Radio	✓	
Cabin swivel seats	✓	
Driver's cabin blackout blind	✓	
XL entrance door	✓	
Openable panoramic porthole front pod	✓	
Extractor hood	✓	
Oven	✓	on request
Entrance door with fly screen	✓	
TV-holder	✓	
Cabin seat covers	✓	
Parking feet	✓	
Outside entrance door lamp	✓	
Awning	3,5 m (on request)	4 m (on request)

¹ The reduction in the number of approved seats increases the mass available for the installation of optional equipment by 85 kg for each seat removed.

² Choosing a higher Technically Permissible Maximum Mass (TPMM) increases the mass available for the installation of optional equipment.

For all information regarding the weights of optional equipment available on request, please refer to the OPT weight list available at <https://www.rimor.it/int/en/opt-weight-list>
Please check the following URL for more information about weights: <https://www.rimor.it/int/en/weight-information>



Information about the weights

To own a motorhome gives you the fantastic opportunity to take the road any time. When choosing your motorhome, besides considering the right layout and appealing design, you shall also have thought about the factors that influence how you can use your motorhome, among which weight plays an essential role. Indeed, when choosing and configuring your future motorhome, you shall ensure that you have the sufficient pay-mass to enjoy the trip carrying friends, families, optional equipment, accessories and extras that you want to take with you.

Our network of authorised dealers has the required expertise to advise you on your choices based on how you intend to use your vehicle. If in doubt, they are in direct contact with the manufacturer's technical departments. The actual available pay-mass of your vehicle will depend directly on the intended use and the weight of the planned load, including the actual number of passengers – adults or children. For your safety, this weight must be distributed in accordance with your vehicle's layout and must never exceed the technically permissible maximum laden mass for which the type approval was granted.

Please check the following URL for more information about weights:
<https://www.rimor.it/int/en/weight-information>

World sweet home



Your journey with Rimor continues online as well: follow our initiatives on Facebook and Instagram, and share your adventures with us using the hashtag #Rimor



www.rimor.it

